

BENNETTE

PAINT MFG. CO., INC.
PRODUCT DATA

**BARN AND ROOF
PAINT**
280213 Green
280214 Red

DESCRIPTION: A high quality, durable and weather-resistant exterior coating formulated primarily for wood surfaces and metal roofs. Recommended for structures where a durable yet economical finish is desired.

SUGGESTED USES: Exterior wood surfaces on barns, farm buildings and other structures. Also recommended for metal roofs and any properly primed new wood, metal or masonry.

COLORS: Green and Red

FINISH: Gloss

GLOSS: 75-85°/60°

VEHICLE TYPE: Alkyd

RECOMMENDED COVERAGE RATES:

Approximately 400 sq. ft. per gallon @:
4.0 mils wet film thickness
1.7 mils dry film thickness

DRY TIME (@ 77°F and 50% rel. humidity):

To Touch: 4-6 hours
To Recoat: 8 hours

MIN/MAX TEMP @ APPLICATION:

40°F min / 95°F max

WEIGHT PER GALLON: 9.0 lbs.

VISCOSITY: 75 KU (±2 KU)

SOLIDS CONTENT:

By Weight: 53% (±1)
By Volume: 42% (±1)

FLASH POINT: Combustible

RECOMMENDED APPLICATION EQUIPMENT:

Brush - Natural bristle, such as Purdy Sprig or Wooster Friendly
Roll - Lambswool or synthetic, such as Kodawool or Pro Weave
Spray - Graco or Titan Airless - tip size .017 - .019

THINNING INSTRUCTIONS: Thinning is not normally required. If necessary, use Bennette Paint Thinner (330010), up to 1/2 pint per gallon.

CLEAN UP: Clean brushes, rollers, and spray equipment immediately after use with Bennette Paint Thinner (330010).

SURFACE PREPARATION: Surface must be clean and dry. Remove all dirt, loosely adhering paint, and other foreign matter. Do not apply to damp surfaces. New or unpainted surfaces should be primed in accordance with the "Recommended Bennette Primers" section of this sheet.

RECOMMENDED BENNETTE PRIMERS:

| | | |
|--------------------|---------------------------------|--------|
| <i>New Wood</i> | Exterior Oil House Paint Primer | 270225 |
| <i>New Metal</i> | White Rust Inhib. Metal Primer | 280237 |
| | White Rust Inhib. Metal Primer | 280227 |
| <i>New Masonry</i> | Acrylic Blockfiller | 80250 |

FORMULATED WITHOUT LEAD OR MERCURY

102401



All technical advice, recommendations and services are rendered by the Seller gratis. They are based on technical data that the Seller believes to be reliable, and are intended for use by persons having skill and know-how at their own discretion and risk. Seller assumes no responsibility for results obtained or damages incurred from their use by Buyer in whole or in part. Such recommendations, technical advice or services are not to be taken as a license to operate under or intended to suggest infringement of any existing patent.